

Rosemary Inn, Beathouse (Building No. 399)
Olympic National Park
Barnes Point, Lake Crescent
Port Angeles Vicinity
Clallam County
Washington

HABS No. WA-185-P

HABS
WASH
5-POAN.V,
2P-

PHOTOGRAPHS

WRITTEN HISTORICAL AND DESCRIPTIVE DATA


Historic American Building Survey
National Park Service
Western Region
Department of the Interior
San Francisco, California 94107

HABS
WASH
5-POAN.V,
2P-

NATIONAL PARK SERVICE
Department of the Interior

HISTORIC AMERICAN BUILDING SURVEY
ARCHITECTURAL DATA FORM

STATE WASHINGTON	COUNTY CLALLAM	TOWN OR VICINITY Approximately 20 miles southwest of Port Angeles
HISTORIC NAME OF STRUCTURE (include source for name) Rosemary Inn, "Boathouse"		HABS NO. WA-185-P
SECONDARY OR COMMON NAMES OF STRUCTURE Bldg. No. 399		
COMPLETE ADDRESS (for rural sites describe location) Barnes Point south shore of Lake Crescent, north side of Hwy 101, approximately 20 miles from Port Angeles, in Olympic National Park.		
DATE OF CONSTRUCTION (include source) c.1936 (Historic Building Inventory)	ARCHITECT(S) (include source) Builder and Craftsman: John Daum (HRS 1983)	
SIGNIFICANCE (architectural and historical, include original use of structure) Constructed around 1936, this boathouse was probably the last structure built in the complex. It stands near the site of an earlier structure that possibly served the same function. The boathouse is an integral part of the Rosemary ensemble, contributes to the overall character of the rustic resort, and possesses integrity of design, materials, workmanship, location, setting, feeling and association.		
STYLE (if appropriate) Craftsman-style elements		
MATERIAL OF CONSTRUCTION (Include structural systems) Wood-frame construction set on wood posts on concrete piers and blocks.		
SHAPE AND DIMENSIONS OF STRUCTURE (sketched floor plans on separate sheet acceptable) Rectangle: 18'6" x 31'		
EXTERIOR FEATURES OF NOTE 1-story; wood-shingled gable roof with extended eaves supported by knee braces; shed roof extended from east facade forms entry overhang supported by log posts and braces; board and batten siding with wood shingles on gable ends; exposed rafter ends; sliding wood panel door; multi-paned hinged sash with plain trim; access door on south facade.		
INTERIOR FEATURES OF NOTE (describe floor plans if not sketched)		
MAJOR ALTERATIONS AND ADDITIONS, WITH DATES		
PRESENT CONDITION AND USE Fair; Storage		
OTHER INFORMATION AS APPROPRIATE A c. 1915 view of the Rosemary Inn boathouse looks very different. The present boathouse is either the 1915 one (remodeled) or a completely different structure.		
SOURCES OF INFORMATION (include listing on National Register, State Registers, etc.) Historic Structure Report, 1986 Historic Resource Study, 1983 Historic Building Inventory, 1983 National Register Listing, 1979		
COMPILER, AFFILIATION Gretchen A. Luxenberg, National Park Service		DATE July, 1988



Boathouse Building #399